
Title: Semiconductor Memory Device and Control method Therefor

Inventor's Name: NAKAGAWA

Application No.: NEW Docket No.: 108075-00114


Fig.1 (Prior Art)



Control method Therefor

Inventor's Name: NAKAGAWA


Fig. 2 (Prior Art)




Control method Therefor

Inventor's Name: NAKAGAWA


Fig.3(Prior Art)






Control method Therefor
Inventor's Name: NAKAGAWA
Application No.: NEW
Docket No.: 108075-00114


Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114




Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114




Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114



Control method Therefor Inventor's Name: NAKAGAWA




Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114




Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114 中 pelay 中 De lay T rd-state 21 ref-req2 .- 23 precharge, precharge , ref-start ref-state ref-skip rd-start Fig.10 de lay Delay 15 22.-1 ref-req precharge -

Title: Semiconductor Memory Device and Control method Therefor


Inventor's Name: NAKAGAWA Application No.: NEW



Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114




Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA Application No.: NEW Docket No.: 108075-00114 wl-timing rd-state precharge precharge ref-start ref-state ref-skip rd-start Fig.13 Delay 15 16 - ′ 33... ref-req precharge




Control method Therefor

Inventor's Name: NAKAGAWA







Inventor's Name: NAKAGAWA

Control method Therefor

Docket No.: 108075-00114 → Wl-timing ←Delay ← rd-state testA precharge precharge ref-start ref-state rd-start Fig.17 Delay 15... precharge 💺 ref-req1 16-/ 12


Title: Semiconductor Memory Device and Control method Therefor Inventor's Name: NAKAGAWA

Application No.: NEW

Control method Therefor

Inventor's Name: NAKAGAWA





Title: Semiconductor Memory Device and

Control method Therefor

Inventor's Name: NAKAGAWA

Fig.19




Fig. 20




Fig. 21

